





# **AREA Series**

PHILIPS LUMILEDS/ LUXEON 3000-6500K 500W 220-240V SOLI500P-AREA500 SOLI500MH

Soli Lighting offers an affordable LED flood lighting solution to the customer for both high mast area, hangar, seaport, airport and stadium lighting applications. It offers 4 housing sizes and a range of beam optics to fully cater to different road configurations and conditions. It is designed to achieve better light uniformity and maximum illumination and right angle, while ensuring sufficient light/lux on the area. Exstrusion aluminum housing and Philips LED platform ensures long lifetime and reliability. Soli Lighting AREA Series offers up to 50% of energy savings when compared to conventional lamp systems.

### **Product Data**

General Info	
Light Source Color	White
Power Unit	Driver
Driver	Yes -Philips
Class	Class I
CE	CE i
ENEC	Driver
UL	Driver
Constant Light Output	Yes
Operating & Electrical	
Input Voltage	100-270V
Frequency	50 to 60 Hz
Power Factory (Nom)	0.95 (nominal)
Power	500W

Controls and Dimming	
Dimmable	(Optional)
Mechanical and Housing	
Housing Material	Alu
Optic material	Policarbon
Fixation material	Steel
Approval and Application	
Ingress protection code	IP66
Mech. impact protection code	IK09
Initial Performance (IEC Complia	ant)
Initial luminous flux (system)	75000 lm
Initial LED luminaire efficacy	150lm/W
Init. Corr. Color Temperature	6500K



## SOLi500P-AREA500 Serisi

# Application

Temperature	-35 / +65°C
Ambient Temp.	35 °C
Humidity	%10 - %95

### Data

Data	
Led Lifecycle	50000h
Order Name	SOLİ AREA 500W LED FLOOD
Order Code	AREA 500-220-6500
BoxQty	1
Carton Qty	1
Materral No	500-220-6500
Weight	15.00 kg


### AREA500 220V 3000-6500K

















# referanslarımız







### SOLi500P-AREA500 Serisi



ve daha yüzlercesi



